




OPSI

RAINBOW ECOSYSTEM



# Contents

---



## Customer Needs

What the customer was looking for




## Benefits

Benefits of the OPSI solution



## The Solution

How OPSI meets the needs



## Affected Areas

Company areas covered by the OPSI solution



**CUSTOMER NEEDS**

## WHAT THE CUSTOMER WAS LOOKING FOR

# Customer Needs

---



The SOL Group needed to standardize the communication between the gas distribution logistics centers and the headquarters, for billing to customers and transport costs control.





---


**THE SOLUTION**

---

HOW OPSI MEETS THE NEEDS

# The Solution

The OPSI solution, involving the DNN CMS installation, allows:



Permission management for data access



Accesses and events log



Transaction security



Solution modularity and flexibility



Integration with other systems (SAP, JDE, ERP, mobile applications)





# BENEFITS

# BENEFITS OF THE OPSI SOLUTION

## Benefits

### Lower costs

Saving by controlling transport costs.










# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Affected Areas



### Procurement

In-depth series of indicators and analysis reports on history, costs and use of tanks and vehicles.

### Commercial Area

Customer segmentation and assortment optimization with quantitative and qualitative criteria.

### Technical Area

Monitoring of customer consumption data and management of anomalies in their systems.

### Production

Interfacing with the factory system for vehicle pick-up and product quality data.

### Logistics

Delivery forecasts, planning and optimization of trips, cutting transport costs and remote sensing of real customer consumption.

### Administration

Interfacing with company ERPs for active and passive billing and automatization of administrative processes thanks to the digitization of all documents.

### Quality

Medical circuit validation and ADR documents management, qualification procedures of transport companies, drivers and vehicles.


### Business Intelligence

Rainbow data visualization with MS Power BI e SAP BO.


# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Procurement: Assets Management

---



Tanks inventory



Analysis of installed and/or unavailable tanks fleet

# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Procurement: Assets Management

### Tank management

Type

Cryosafe

Tank

Cryosafe

Vaporizer

Customer

Select all

Installato Cliente

In Consegna al Cliente

Presso Magazzino

Presso Magazzino Fornitore

DisMESSo

Installato C/O Filiale


C/O Consociata Estera

Installato C/O Stabilimento

In Ordine

✓

✕





# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Commercial Area: Technical Datasheet

You are here: [Technical Datasheet](#)

[User manual with SAP system](#) [User manual without SAP system](#)

[Technical datasheets to process](#) [Customers list](#) [History](#)

In this grid you can find the list of datasheets that require your intervention. My roles: **ST LOGIST** 2 minutes until automatic grid refresh

**Search for**  **Order by** Descendent **Customer Type** (All Types) **Workflow type** (All Types) [Refresh](#) [New customer](#)


Only workflows requiring your action

Customer	Secondary product	Creation User	Creation Date	To do	Workflow status
U01389-NEUFE, spol. s r.o. U Nádraží 237 - Pribyslav (-1) (SAPCode:0000672084)	00042 NITROGEN LIQUID 5.0	SAP	12/12/2019	<b>Workflow name:</b> Product creation from SAP. <b>You should do:</b> Confirm or reject data inserted by commercial and technical people. Assign logistic center for each product.	
U00759-OILGEST SRL VIA FERRUCCIO PARRI 7 - VOGHERA (PV) (SAPCode:0000658207)	00022 NITROGEN LIQUID IN TANK	SAP	18/09/2018	<b>Workflow name:</b> Customer creation from SAP. <b>You should do:</b> Confirm or reject data inserted by commercial and technical people. Assign logistic center for every product.	

Page 1 of 1 30



Customer and product mapping




Tracking commercial requirements variation for Italian and foreign customers

COMPANY AREAS COVERED BY THE OPSI SOLUTION

# Technical Area: Telemonitoring

## Tank level warning email creation cycle



# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Technical Area: Telemonitoring

### Email 1

#### Tanks Levels

Dear User,

attached to this e-mail you will find the list of the tanks levels of your customers, detected during the last seven days by the CONNET and RAMOC telemonitoring systems.  
Levels are updated till yesterday.

Best regards,

**Rainbow Team**

Phone: +39 0362 170 0938

Email: [support@opsi.it](mailto:support@opsi.it)

### Email 2

#### Telemonitoring Units not associated in Rainbow

*English version*

Dear User,

attached to this e-mail you will find the list of the units of telemonitoring, that are not associated in Rainbow.

Click on the following link to associate units to the customer tanks:

[Click here to connect unit to tanks](#)

Best regards,

**Rainbow Team**

Phone: +39 0362 170 0938

Email: [support@opsi.it](mailto:support@opsi.it)

COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Technical Area : delivering anomalies

Anomaly report email creation cycle





# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Technical Area : delivering anomalies

The screenshot displays the OPSI technical area interface, divided into three main sections:

- Customer Search:** A search bar labeled "Filter by Customer" with a magnifying glass icon. Below it are two customer cards. The first card for customer U00617 shows "VIA C 2681" and "OPEN ANOMALIES: 1". The second card for customer X01721 shows "VIA CA 3703" and "OPEN ANOMALIES: 1". Both cards have a "View" button at the bottom. A yellow box highlights the "View" button on the first card, with an arrow pointing to the detailed view on the right.
- Actions:** A section with a "< Back to dashboard" button and a "Priorities" legend. The legend includes: Low priority (blue square), Medium priority (purple square), High priority (red square), and Closed Anomaly (lock icon). Below the legend is a horizontal bar with a gradient from blue (Low) to purple (Medium) to red (High).
- Anomaly Details:** A detailed view for customer U00617, SPA - VIA C. It states "The anomalies are presented ordered by tank, anomaly." and shows a "High" priority anomaly: "007 - Malfunctioning valve". Below this, the "PRODUCT:" section lists: "00022 - 00050 - AZOTO LIQ. SCT IN AUTOCISTERNA", "BARCODE: 0003895", "FACTORY NUMBER: 4381", "ITEM NUMBER: 1588", and "CAPACITY: 10,000 LT". The "ROUTING:" section lists: "LC: 03 - 1P/57767 (13/12/2019)" and "DRIVER:". The "TECHNICAL NOTES:" section shows "Latest Note:" and a link "View/edit all notes".

COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Technical Area : Remote sensing


Anomaly notification email to administrators with detailed Excel attached

Attached to this email you can find the summary sheet of the reported anomalies by drivers.

Period from 30/11/2018 to 30/11/2019	
<b>Total received anomalies</b>	828
<b>Still Unresolved Anomalies</b>	370
007 Malfunctioning valve	15%
006 Barcode missing or unreadable	15%
006 Barcode missing or unreadable	15%
006 Barcode missing or unreadable	15%
<b>Closed anomalies:</b>	458
<b>Anomalies with high priority still open:</b>	95


COMPANY AREAS COVERED BY THE OPSI SOLUTION

# Production: SET Interfaces



COMPANY AREAS COVERED BY THE OPSI SOLUTION

# Logistics: Management and planning tools





# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Logistics: Geolocalization (Driver details)

Driver
Routing
Vehicle

**Routing status:** Closed

**Internal number:** 700369P20200522105236      **Open date:** May 22, 2020

**Routing number:** 2V 9176468      **End date:** May 25, 2020

**Logistic center:** 15 LC VERONA - SOL SPA

**Product:** 00021 - UN 1073, OXYGEN REFRIGERATED LIQUID, 2.2 (5.1)(C/E)

**Total quantity:** 22740      **Production batch:** 2020.E.21.9008.T20.00021.1

**Loaded quantity:** 0 KG      **Raw material batch:** 2020.E.21.9008.T20.00021.1

**Residual quantity:**      **Expiry date:** 05/2025


**Delivered quantity:** 20420 KG      **Remaining quantity:** 3120

[Draw routing on map](#)

Type	Status	Customer	Product	Quantity	Real capacity	KM	Date
A	L		12 - REFRIGERATED LIQUID MEDICAL OXYGEN	0.00 (KG)	0	0	2020-05-22
B	D	Closed	00021 - OSSIGENO LIQ. IN	0.00 (LT)	30000	170	2020-05-25

# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Logistics: Geolocalization (Drivers)





# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Logistics: Geolocalization (Customers)

The screenshot displays the OPSI Geolocalization interface. On the left, a sidebar contains filters for 'Logistic center', 'Country', and 'Product'. A highlighted section includes toggle switches for 'Customers' (checked), 'Drivers', 'Garage', 'Loading point external', and 'Loading point internal'. Below these are options for 'Normal pins' and 'Small pins', a search bar, and a 'Reset filters' button. The central map shows a geographical area around Lake Garda, Italy, with numerous blue location pins representing customer locations. On the right, a detailed data panel for a selected customer is shown, with fields for 'Customer code', 'Address', 'Zip code', 'Region', 'Company', 'Branch', 'CDV', 'VAT number', 'Place', 'Country', 'Province', 'Commercial area', and 'Seller'. The 'Region' field is populated with 'LOM' and 'Commercial area' with 'ITALY'. The 'CDV' field shows 'S32'.

COMPANY AREAS COVERED BY THE OPSI SOLUTION

# Logistics: transport efficiency analysis

---


Tank analysis by age group and vehicle center

Cost VS Use of tanks analysis

Tank analysis by product

Tank analysis by vehicle type


Tank use analysis for cost optimization



# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Logistics: transport efficiency analysis

### Tank analysis by age group and vehicle center





# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Logistics: transport efficiency analysis

### Cost Vs Use of tanks analysis

Road tanks - reports

Road tanks cost

Age and logistic center - [Road tanks cost](#) - Vehicles by product

Owner company: All

Product: (00027) - Anidride Carbonica Liquida

Logistic center: LC RAVENNA - SOL SPA

Vehicle type: Primario/Bilico - B (B)

Search

Reset filters

Code	Licence plate	Year registration	Owner company	Vehicle center	Product	Amortization total	Maintenance cost	Annual cost	Maintenance days	Annual trips	Travel KM	Annual quantity delivered
580458	XA549FD	2016		28 RAVENNA	00027 UN 2187, CARBONE DIOXIDE LIQUIDREFRIGERE, 2.2 (C/E)	48.000,00 €	48.000,00 €	16.000,00 €	0	211	152484 km	4074523 kg
280012	XA902JX	2018		28 RAVENNA	00027 UN 2187, CARBONE DIOXIDE LIQUIDREFRIGERE, 2.2 (C/E)	15.000,00 €	15.000,00 €	15.000,00 €	0	264	208553 km	5175715 kg
280014	XA283LD	2018		28 RAVENNA	00027 UN 2187, CARBONE DIOXIDE LIQUIDREFRIGERE, 2.2 (C/E)	15.350,00 €	15.350,00 €	15.350,00 €	0	119	71837 km	2266410 kg
						<b>78.350,00 €</b>	<b>78.350,00 €</b>					


First page < 1 > Last page Page 1 of 1

30 records per page

# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Logistics: transport efficiency analysis

### Tank analysis by product



# COMPANY AREAS COVERED BY THE OPSI SOLUTION


## Logistics: transport efficiency analysis

### Tank use analysis for cost optimization



COMPANY AREAS COVERED BY THE OPSI SOLUTION


# Administration: Connection with ERPs



COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Quality: Tools

Tools used to supervise the departments activities in compliance with quality standards





# Quality: Tools

## ● Batch Register

**Rainbow - sol group** Poles, Annamaria Logout

You are here: Quality > New Register > Register

**Filter** [X]

Register \*  
SVR - SOL VERONA

Status \*  
Waiting HoPConfirm

Authorization number

Lot code

Authorization date

Authorization user

Routing series    Routing number

Clear [X]    Search [Q]

Release date	Release user	Loading point	Routing	Notes
2019-12-05T10:53:35.193		SGP SRL - UPP VERONA	2V/9156811	<a href="#">View notes</a> <a href="#">Add notes</a>

Items per page: 10    1 - 1 of 1

# Quality: Tools

- Batch Register

Batch register							
SVR - SOL VERONA							
Status	Release number	Batch number	Release date	Release user	Loading point	Routing	Notes
<input type="text" value=""/>	SVR000003	lotto mp 2	2019-12-05T10:53:35.193		SGP SRL - UPP VERONA	2V/9156811	<a href="#">View notes</a> <a href="#">Add notes</a>

Items per page: 10 1 - 1 of 1 < >

# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Quality: Tools

### ● Batch Register

The screenshot displays the 'Rainbow - sol group' software interface. The top navigation bar includes the company logo and the user 'Poles, Annamaria' with a 'Logout' option. The main content area is titled 'Batch register' and shows details for 'SVR - SOL VERONA'. A modal window is open, displaying 'Anomalies delivery: 7659756' and a table of notes. The table has columns for Product, Barcode, Factory number, Item number, Capacity, Anomaly, and Photo. Below the table, there are pagination controls and a 'Close' button. At the bottom of the modal, there is a table with two rows of data, each with a 'View' button.

**Routing**  
2V/9156811

**Product**  
Ossigeno Liquido

**Loaded product**  
LOX FU

**Raw material Lot code**

**Authorization of the QP**  
Dec 5, 2019

**Confirmation of the Hop**

**Confirmation of the QP**

**Anomalies delivery: 7659756**

**Notes**

Product	Barcode	Factory number	Item number	Capacity	Anomaly	Photo
AIC 039132232 OSSIGENO SOL 3000lt	0001447	2963	748	3000 LT	Malfunctioning valve	

Items per page: 10 1 - 1 of 1

Close

✓	Z81891	OSPEDALE DI SUZZARA SPA	SUZZARA	01903	AIC 039132232 OSSIGENO SOL 3000lt	Dec 5, 2019	11:07 AM	2500	LT	
✓	U00176	MED SERVICES C/O VILLA CARPANEDA	RODIGO	01902	AIC 039132220 OSSIGENO SOL 1500lt	Dec 5, 2019	12:15 PM	1200	LT	

Close

# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Quality: Tools

### ● Products Datasheet

**Products**

- 00021 UN 1073, OXYGEN REFRIGERATED LIQUID, 2.2 (5.1)(C/E) (LOX)
- 12 REFRIGERATED LIQUID MEDICAL OXYGEN (LOX FU) - Qo=0
- 22 REFRIGERATED LIQUID OXYGEN AVIO (LOX A) - Qo=30
  - 00030 OSSIGENO LIQ.AVIO IN AUTOCIST. (OSS LIQ AVIO)
- 39 Medical Oxygen Liquid Refrigerated (LOX MRP) - Qo=20
  - 00425 OSSIGENO LIQUIDO MEDICALE (MRP) (OSS LIQ MED)
- 6 REFRIGERATED LIQUID OXYGEN 3.5 (LOX 3.5) - Qo=40
- 9 REFRIGERATED LIQUID OXYGEN 5.0 (LOX 5.0) - Qo=50
- 00022 UN 1977, NITROGEN REFRIGERATED LIQUID, 2.2 (C/E) (LIN)
- 00023 UN 1951, ARGON REFRIGERATED LIQUID, 2.2 (C/E) (LAR)
- 00027 UN 2187, CARBONE DIOXIDE LIQUIDREFRIGERE, 2.2 (C/E) (CO2)
- 00028 Nitrous oxide (N2O)
- 00047 ELIO (ELIO)
- 00060 AZOTO IN CARRI (N2)
- 00071 IDROGENO IN CARRI (H2)
- 00086 AMMONIACA LIQUIDA (NH3)
- 00091 METANO INDUSTRIALE IN CCR (MAP)
- 00092 GNL (GNL)
- 00429 UN 1073, OXYGEN REFRIGERATED LIQUID, 2.2 (5.1) (C/E) (LOXM)

[Print Details Sheet](#)

**OSSIGENO LIQ.AVIO IN AUTOCIST. (OSS LIQ AVIO)**

Chromatographic analysis:	NO	Lot Code Type:	EUROPEAN
Requires label:	NO	Gas Type:	INDUSTRIAL
Exclusive Product:	NO	UM:	MC
Loadable Product:	22-LOX A	Code for printing:	00030
Used in Lox Medical Report:	NO	Type:	1-Industrial
Technical Datasheet QM Requested:	NO		

[Edit Data](#)

**Translations** [Add new translation](#)

Edit	Language	Description
	BEL	

**Requests by country** [Add new request](#)

No data was found.

**Analysis** [Add new analysis](#)

Edit	Title	Criteria	Min	Max	Decimals	Position
	64 - Title O2	>= 99,5	99.5	100	2	
	23 - Contaminants Solid	<= 1	0	1	2	
	30 - Components halogenated refrigerant	<= 1	0	1	2	
	31 - Components halogenates solvents	<= 0,1	0	0.1	2	
	32 - N2O	<= 1	0	1	2	
	86 - CO	<= 5	0	5	2	
	85 - CO2	<= 5	0	5	2	
	113 - CH4 and other hydrocarbons	<= 25	0	25	0	
	26 - C2H2	<= 0,05	0	0.05	2	
	27 - C2H4	<= 0,2	0	0.2	2	
	28 - C2H6	<= 2	0	2	2	
	29 - C3HN	<= 1	0	1	2	
	24 - H2O	<= 5	0	5	2	

# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Quality: Tools

### ● Products Datasheet

Notes for certificate		
Edit	Language	Description
	BEL	Note: Les méthodes d'analyse sont définies par la spécification des produits Le produit est conforme italien FU De l'Union européenne et de la précédente version. Le certificat délivré à la suite du succès du contrôle de la qualité et la libération par le DTGM. Tous libération des lots de documentation est disponible à l'unité de production de la délivrance de ce certificat. - Le produit est conforme à la spécificité additif alimentaire E948. Le THC analyse est effectuée sur le stockage primaire. - Ce certificat est compatible avec le certificat d'analyse déposé à l'usine {0} nombre {1} interne
	FRA	Note: Les méthodes d'analyse sont définies par la spécification des produits Le produit est conforme italien FU De l'Union européenne et de la précédente version. Le certificat délivré à la suite du succès du contrôle de la qualité et la libération par le DTGM. Tous libération des lots de documentation est disponible à l'unité de production de la délivrance de ce certificat. - Le produit est conforme à la spécificité additif alimentaire E948. Le THC analyse est effectuée sur le stockage primaire. - Ce certificat est compatible avec le certificat d'analyse déposé à l'usine {0} nombre {1} interne
	HOL	Opmerking: Analyse methoden zijn gedefinieerd door productspecificatie Product voldoet Italiaanse FU En de Europese Unie laatste versie. Het certificaat wordt afgegeven als gevolg van succesvolle kwaliteitscontrole en het vrijgeven van de DTGM. Alle vrijgave van charges documentatie is beschikbaar op de productie - eenheid voor de afgifte van dit certificaat. - Product voldoet aan de specifieke additief E948. Het THC - analyse wordt uitgevoerd op primaire opslag. - Dit certificaat is in overeenstemming met de verklaring van analyse gedeponereerd bij de fabriek {0} aantal {1} interne
	ING	Note: Analysis methods are defined by product specification Product conforms Italian F.U. and European Union last version. The certificate issued as a result of successful quality control and release by the DTGM. All batch release documentation is available at the production unit issuing this certificate. - Product conforms to the specific food additive E948. The THC analysis is performed on primary storage. - This certificate is compliant with the certificate of analysis deposited at the factory {0} number {1} internal
	TED	Hinweis: Analyse Methoden sind definiert durch Spezifikation Produkt entspricht Italienisch FU Und der Europäischen Union letzte Version. Die Bescheinigung als Ergebnis der erfolgreichen Qualitätskontrolle und Freigabe durch den DTGM. Alle Chargenfreigabe Dokumentation ist erhältlich bei der Produktion Ausstellung dieser Bescheinigung. - Das Produkt entspricht den spezifischen Lebensmittelzusatzstoff E948. Die THC Analyse erfolgt auf der Grundschule Lagerung. - Dieses Zertifikat ist kompatibel mit dem Zertifikat der Analyse hinterlegt in der Fabrik {0} Zahl {1} internen
	ITA	Nota: I Metodi di analisi sono definiti nella specifica del prodotto - L'analisi del metano ed altri idrocarburi viene eseguita sullo stoccaggio primario. - Il presente certificato è estratto conforme al certificato di analisi depositato presso lo stabilimento {0} con numero interno {1}
	SLO	Metoda analize je definirana v specifikaciji proizvoda. - Analiza CH4 in ostalih ogljikovodikov se izvaja periodicno. - Ta certifikat je v skladu s certifikatom analize, ki je shranjen v obratu {0} z interno številko {1}.
	BUL	Забележка: Методите за анализ са посочени в спецификацията на продукта Продукт съответства на италианската FU и последната версия на FU на ЕС. Сертификатът е издаден след положителен резултат от извършена проверка на качеството и получено разрешително от отдел DTGM. Цялата документация свързана с разрешителното за партидата са намира в производствената единица, издала този сертификат. Продукт съответства на спецификацията на хранителна добавка E948. Анализът на THC се извършва при първо складиране. - Настоящият сертификат съответства на сертификата за анализ съхраняван в предприятието {0} под номер {1}

ADR		
Edit	Language	Description
	BEL	UN 1073, ZUUFSTOF STERK GEKOELD VLOEIBAAR GEMAAKT, 2.2 (5.1) (C/E)
	BUL	UN 1073, КИСЛОРОД ОХЛАДЕН ВТЕЧЕН, 2.2 (5.1) (C/E)
	FRA	UN 1073, OXYGENE LIQUIDE REFRIGERE, 2.2 (5.1) (C/E)
	HOL	UN 1073, ZUURSTOF STERK GEKOELD VLOEIBAAR, 2.2 (5.1) (C/E)
	ING	UN 1073, OXYGEN REFRIGERATED LIQUID, 2.2 (5.1) (C/E)
	ITA	UN 1073, OSSIGENO LIQUIDO REFRIGERATO, 2.2 (5.1) (C/E)
	SLO	UN 1073, KISIK, GLOBOKO OHLAJENI, TEKOC , 2.2. (5.1) (C/E)
	TED	UN 1073, SAUERSTOFF tiefgekuehlt, fluessig, 2.2 (5.1) (C/E)



# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Quality: Tools

- 3P Register

Find companies

First page < 1 2 > Last page Page 1 of 2

id	Company Code	Company	Country	State	Address	City	
41	40019674	.....	I		[REDACTED]	[REDACTED]	<a href="#">Detail</a>
256	40042241	[REDACTED]	F		[REDACTED]	[REDACTED]	<a href="#">Detail</a>
165	AL000003	[REDACTED]	AL		[REDACTED]	[REDACTED]	<a href="#">Detail</a>
717	40050186	[REDACTED]	B		[REDACTED]	[REDACTED]	<a href="#">Detail</a>
190	BG000005	[REDACTED]	BG		[REDACTED]	[REDACTED]	<a href="#">Detail</a>
156	40041274	[REDACTED]	I		[REDACTED]	[REDACTED]	<a href="#">Detail</a>
43	40020501	[REDACTED]	I		[REDACTED]	[REDACTED]	<a href="#">Detail</a>

# COMPANY AREAS COVERED BY THE OPSI SOLUTION

## Quality: Tools

### ● 3P Register

← Back

Company information

Company information

Drivers information

Vehicles information

Company information

**Company information**

Company name ..... Address [REDACTED] City [REDACTED]

Invoice number 456 Phone number

Total vehicles 444 Total drivers

Reference person Email Reference Phone Number

C.C.I.A.A N° dfgdf

DURC	Date	Expired date	Download	Add new	History list
Enrollment to register	Date		Download	Add new	History list
REN	Date		Download	Add new	History list

# Keep in touch

Do not hesitate to contact us to receive the information you want



## Address

OPSI Group S.r.l. – Via Galileo Galilei, 32  
20834 Nova Milanese (MB) Italy



## Contact Information

Commercial: [commerciale@opsi.it](mailto:commerciale@opsi.it)  
Generic: [info@opsi.it](mailto:info@opsi.it)  
Support: [support@opsi.it](mailto:support@opsi.it)



## Telephone

Office phone : +39 0362 364127

